## GROW MORE



World Headquarters

## MATERIAL SAFETY DATA SHEET M.S.D.S.

I - PRODUCT IDENTIFICATION

TRADE NAME (as labeled)

: MENDOCINO AVALANCHE

MANUFACTURER'S NAME

: GROW MORE, INC. 15600 New Century Drive

Gardena, CA 90248 Tel. (310) 515-1700 Fax (310) 515-4937

DATE PREPARED/REVISED

April 29, 2011

NAME OF PREPARER

H. Langheim

II - HAZARDOUS INGREDIENTS

Exposure Limits in Air (give units)

Chemical Name

CAS No. & % by/wt.

ACGHTLV OSHA

OSHA PEL OTHER (specify)

Phosphoric Acid

7664-38-2 0.002%

N/A

## III- PHYSICAL PROPERTIES

pН

: 2.5-2.75

SPECIFIC GRAVITY

: 1.0

SOLUBILITY IN WATER

: Infinite

VAPOR PRESSURE, mmHg

: N/A

APPEARANCE AND ODOR

: Dark brown liquid slight seaweed odor

MELTING POINT OR RANGE, °F

: N/A

BOILING POINT OR RANGE, °F

: N/A

EVAPORATION RATE (BUTYLACETATE = 1)

: N/A

MSDS FOR MENDOCINO AVALANCH	E Page –2-					
IV - FIRE AND EXPLOSION						
FLASH POINT. °F (Give Method AUTO IGNITION TEMPERATURE. °F FLAMMABLE LIMITS IN AIR. (Vol. %)						
	Upper (UEL) : :carbon dioxideotherdry chemical  E: Must wear MSHA/NIOSH approved self-contained breathing					
apparatus UNUSUAL FIRE & EXPLOSION HAZA with air.	RDS: Products of combustion are toxic. Explosive mixtures form					
V - HEALTH HAZARD INFORMATIO						
SYMPTOMS OF OVEREXPOSURE FOR	R EACH POTENTIAL ROUTE OF EXPOSURE:					
INHALED	: Vapors can cause irritation of mucus membrane					
CONTACT WITH EYES	: May cause redness and slight irritation					
ABSORBED THROUGH SKIN	: Repeated contact may cause slight irritation. Will not be absorbed through skin					
SWALLOWED	: Possible abdominal pain and nausea					
FIRST AID (EMERGENCY) PROCED	URES:					
	: Wash thoroughly with water for at least 5 minutes. Seek medical assistance for persistent irritation.					
	ipe excess material with dry cloth, while removing contaminated othing and shoes with large amounts of water and soap					
NHALED : Rem	Remove from exposure. Treat symptomatically					
	: Give 3 to 4 glasses of milk or water. Do not induce vomiting, or give mouth to mouth contact. Get immediate medical attention.					

MSDS FOR MENI	OCINO AV	ALANCHE			Page -3-
SUSPECTED CA					
<u>X</u> No.	This produ	ct's ingredients	are not found in	the list below.	
Yes.	FEDERAL	OSHA	NTP	IARC	
			IA regulated care ogen lists are sir	cinogens, must register w nilar).	ith CAL-OSHA. The
VI – REACTIVIT	Y DATA	***************************************	AND SECTION		
STABILITY	:	X S	Stable	Unstabl	e
CONDITIONS TO	AVOID:	N/A	•		
INCOMPATIBILITY Material to avoid)	ΓY :	Avoid conta	ct with strong or	kidizer	
				G COMBUSTION PROI MES OF OXIDES OF CA	
HAZARDOUS PO	LYMERIZAT	ΓΙΟΝ:	May occur	X will not o	occur
VII – SPILL, LEA	K & DISPO	SAL PROCEE	DURES:		
SPILL RESPONSE	PROCEDUI	RES (Include er	nployee protection	on measures):	
Caution! Floors ma respirator where mi				ive equipment & MSHA be generated.	/NIOSH approved
PREPARING WAS	TES FOR D	ISPOSAL (Con	tainer types, neu	tralization), etc.)	
containers for recov	ery or dispos	al. Keep spill o	out of sewers and	ansfer the liquid & solid dopen bodies of water. It incineration is the preference.	Dispose off in

## VIII - SPECIAL HANDLING INFORMATION

VENTILATION & ENGINEERING CONTROLS: Local exhaust.

<u>RESPIRATORY PROTECTION (TYPE):</u> Where mist or vapors are generated by the process, a NIOSH/MSHA jointly approved respirator is advised in the absence of proper environmental control.

<u>EYE PROTECTION (TYPE):</u> Wear chemical goggles where there is a potential for eye contact. Use safety glasses with side shields under normal use conditions.

GLOVES (SPECIFIC MATERIAL): Rubber or neoprene, when needed, to prevent skin contact.

OTHER CLOTHING & EQUIPMENT: Eye wash, safety shower, protective clothing (long sleeves, coveralls or other appropriate clothing), when needed to prevent skin contact.

WORK PRACTICES, HYGIENIC PRACTICES: Use good housekeeping and hygienic practices such as washing hands with soap after handling.

OTHER HANDLING & STORAGE REQUIREMENTS: To maintain product quality, do not store in heat or direct sunlight.

<u>PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT</u>: Wear a dust mist protector and eye wear.